



31 July 2013

QUARTERLY ACTIVITIES REPORT FOR THE PERIOD ENDED 30 JUNE 2013

ASX CODE: RNI

HIGHLIGHTS

GROSVENOR GOLD AND BASE METALS PROJECT, WESTERN AUSTRALIA

Exploration

- Two geophysical conductors located down dip at the Orient copper-gold gossan. Priority follow-up exploration programs proposed
- Callies gold resource and reserve drill-out nearing completion, with oxide gold mineralisation extended to 800 metres along strike and at depths greater than 150m
- Base metal signature recognised beneath Callies oxide gold resource
- Large anomalous copper-gold target identified at Big Billy extending over a currently defined strike length of 1.5km

Project Development

- Extensive metallurgical test-work in progress, with focus on low cost heap leach processing as the pre-dominant gold treatment option



INTRODUCTION

Resource and Investment NL (ASX: RNI) (RNI or the Company) is exploring for gold and base metals at the Grosvenor Project in Western Australia’s Bryah Basin.

The project includes the 100% owned Grosvenor gold plant, which is located about 170km north of Meekatharra, and a JORC compliant resource base of 1.25Moz, based on 18.9 Mt @ 2.05g/t (Table 3). RNI also has an option to acquire the adjoining Peak Hill gold project, which, if exercised, would add an additional ~550,000oz to the Company’s gold resource inventory (Table 4).

RNI’s brownfields drilling programs are focused on expanding the resource and reserve base to support a recommencement of mining and gold production at the Grosvenor gold plant in the short to medium term. The Company is also examining heap leaching recovery options for oxide and transitional gold mineralisation, and low-grade stockpiles, from various areas within the Grosvenor and Peak Hill projects hosting known gold resources.

RNI’s priority base metals exploration targets include the Orient copper prospect, where a recent downhole electromagnetic survey has defined two partially-defined off-hole conductors which the Company plans to drill test, during the September quarter.

EXPLORATION

RNI’s exploration efforts during the Quarter targeted both extensions to the near mine oxide gold resource base at Grosvenor, primarily at Callies, as well as base metal targets including Big Billy and Orient (Figure 1).




Figure 1: Regional geology and prospect location

RNI completed a total of 14,400m of RC drilling (greenfields, brownfields and sterilisation) during the Quarter. This drilling is summarised in Table 1 below:

| Program | Metres | Purpose | Comments |
|---------------|---------------|---------------------------------------|--|
| Orient | 1,750 | Scout drilling, 2 nd phase | Equip downhole electronic survey (“DHEM”) holes, assay and targeting |
| Callies | 8,227 | Resource/reserve drill out | Resource re-estimate once all assays are returned |
| Labouchere | 730 | Target definition, historical target | Incomplete program |
| Toms and Sams | 258 | Sterilisation drilling | Ongoing, Fortnum infrastructure |
| Cheyenne | 1,275 | Sterilisation drilling | Ongoing, Fortnum infrastructure |
| Big Billy | 2,160 | Target definition, historical target | First phase complete, equip DHEM holes, further aircore work |
| Total | 14,400 | | |

Table 1: June 2013 Quarter drilling

Orient

RNI conducted a second phase scout drilling program at the Orient copper prospect during the Quarter with the aim of further refining targets defined by gravity to the north of the copper-gold gossan discovered in late 2012. Orient is located in the southern part of RNI's Grosvenor Project (Figure 1).

As reported to the ASX on 30 July 2013, the RC program targeted the down-dip position of significant drilling results returned from a preliminary drilling program at Orient during the March 2013 quarter, including 4m @ 1.15% Zn from 1m; 3m @ 0.51% Cu from 7m; 3m @ 0.49% Cu from 31m and 1m @ 0.60% Cu from 28m (Refer ASX announcement 16 April 2013).

The preliminary drilling program was conducted beneath the high-grade Orient gossan to follow-up on rock chip samples which returned peak values of 12.8% Cu and 41.7g/t Au (Refer ASX announcement 25 September 2012).

The recent downhole EM survey at Orient identified two partially-defined off-hole conductors in drill hole ORC010 (Figure 2). While the drillhole did not directly intersect the target mineralisation, downhole geophysical work has indicated the proximity of the downhole conductors.

The signature of these significant EM results is being interpreted to represent a potential zone of stringer sulphides that are providing a vector towards a larger accumulation of mineralisation. This target is supported by the presence of a distinct gravity anomaly that has been modelled in the down-plunge position.

RNI is now finalising the next phase of exploration at Orient in the September quarter. This is likely to include additional down-hole EM surveys in adjacent holes (if access is still possible), surface EM surveys (fixed loop) and drill testing the EM-gravity target in the down-plunge target position. One drillhole will target the interpreted conductors, to be followed by additional step out drilling.




Figure 2: Orient prospect drilling and geophysical targeting

In addition to this work focused directly on the Orient prospect, evaluation of the surrounding project area incorporating the existing data (geological mapping, geochemistry, VTEM and gravity) is ongoing. This work is expected to identify additional priority exploration targets.

Further details relating to the exploration program at Orient are included in the ASX announcement dated 30 July 2013.

Big Billy

At Big Billy, which is located 4.6km south of the Grosvenor CIL processing plant (Figure 1), a nine-hole first pass evaluation drilling program for copper and gold was successful in identifying a large anomalous copper-gold target that extends over a currently defined strike length of 1.5km. Historic results included peak values of 1.025 % Cu over 5m and 8.2g/t Au over 3m.

As announced to the ASX on 24 July 2013, the Big Billy target is interpreted to lie within a broader litho-structural gold and copper corridor that is interpreted to extend from the Fortnum Fault to the Forrest Gimp prospect located approximately 10km to the south (Figure 3).

Copper and gold assays from the RC drilling program returned peak results of up to 1.3% Cu and 6.83g/t Au within broad, highly-anomalous zones of semi-coincident copper-gold mineralisation including:

- BBRC009** 54 metres @ 0.19% Cu from 131 metres; includes
- 1m @ 0.54% Cu
 - 3m @ 0.79% Cu (**Includes 1m @ 1.3% Cu**)
 - 1m @ 0.66% Cu
 - 6m @ 0.26% Cu
 - 7m @ 0.45% Cu (**Includes 1m @ 0.73% Cu and 1m @ 0.70% Cu**)

and

37 metres @ 232ppb Au from 131 metres
(Includes peak result of 3m @ 1.31g/t Au)

- BBRC005** 32 metres @ 0.16% Cu from 39 metres
(Includes peak result of 1m @ 0.40% Cu)

and

22 metres @ 687ppb Au from 39 metres
(Includes peak results of 1m @ 6.83g/t Au and 3m @ 1.8g/t Au)

This widespread zone of highly anomalous copper and gold results is controlled by the folded and faulted contact between a package of mafic to intermediate volcanic rocks (Narracoota Formation) and a sequence of overlying sedimentary and volcano-clastic rocks (Ravelstone Formation). Mineralisation is in the form of disseminated copper oxides, carbonates (malachite) and locally stringers of sulphide (chalcopyrite) associated with quartz-carbonate veins.

The interpretation of these results is that they demonstrate that an active copper-gold mineralising process focused along faults and the key stratigraphic contacts have been in place. These processes are considered to have the potential to develop into a significant accumulation of copper-gold mineralisation.

Exploration programs are now in place to continue the evaluation of this key mineralised corridor for both gold and copper-gold deposits. Immediate activities include transient electromagnetic surveys (both surface and down hole) and reconnaissance aircore drilling whilst additional RC drilling is in the planning process.

Further details relating to exploration activities at Big Billy are included in the ASX announcement dated 24 July 2013.

Callies

At Callies, a 53-hole 8,277m oxide gold resource and reserve extensional drilling program is nearing completion. The current Callies oxide gold resource, which stands at 950,000 tonnes grading 1.5g/t (Table 3), will be re-estimated in the current quarter, once all assay results are received.

Callies is located within the "Fortnum Wedge" mining camp within 100m to 1km of the Grosvenor gold processing plant.

Callies is one of a number of Grosvenor resources being investigated for dump leach and heap leach processing options as additions and/or replacements to conventional CIL processing options. These bulk mining options, in conjunction with heap leach processing, are being studied to provide a lower cost processing pathway targeting costs of less than A\$1,000 per ounce.




Figure 3: Big Billy and Callies exploration concept

Key results from the Callies drilling program (announced to the ASX on 8 July 2013) include:

- Continued expansion of the Callies mineralised zone along strike and down-dip of the existing Callies open pit. Significantly, the gold mineralised zone remains open along strike and at depth;
- The wide zones of oxide mineralisation extend to depths of >150m below surface and these results will likely result in a new resource that incorporates both the existing North Callies Resource and the existing South Callies open pit;

- Significant drill intercepts from this program of drilling included:
 - **CLRC017** **15m @ 3.36g/t Au from 107m**
 - **CLRC020** **22m @ 2.04g/t Au from 143m**
 - **CLRC035** **16m @ 1.52g/t Au from 132m**
 - **CLRC021** **75m @ 0.90g/t Au from 105m including
22m @ 1.39g/t Au from 143m**
 - **CLRC039** **49m @ 1.2g/t Au from 111m including
8m @ 2.0g/t**

The results of the drilling to date have successfully delineated a broad zone of oxide and transitional gold mineralisation for at least 800m north of the existing Callies open pit (Figure 4). This zone has an interpreted maximum width of up to 75m and has now been drilled from surface down to a maximum depth (below datum) of 180m, below which it remains open. The resource development drilling is in addition to historic drilling by previous owners and developers that defined and partly extracted a shallow oxide gold resource at Callies (Table 2). Importantly, the mineralised zone remains open along strike to the north and also south of the Callies open pit.

| Drill Type | Homestake 1987-1992 | | Perilya 1993-1998 | | Gleneagle 2004 | | Total | |
|---|------------------------|---------------|----------------------|---------------|-------------------|------------|--------------|---------------|
| | No. Holes | Metres | No. Holes | Metres | No. Holes | Metres | No. Holes | Metres |
| Reverse Circulation (RC) | 289 | 15,597 | 70 | 6,065 | | | 359 | 21,662 |
| Reverse Circulation with Diamond Tail (RCD) | 17 | 2,236 | 1 | 169 | | | 18 | 2,405 |
| Rotary Air Blast (RAB) | 596 | 12,287 | 58 | 4,319 | | | 654 | 16,606 |
| Air Core (ACO) | | | 13 | 879 | 8 | 591 | 21 | 1,470 |
| Total | 902 | 30,120 | 142 | 11,432 | 8 | 591 | 1,052 | 42,143 |

Table 2: Summary of previous Callies drilling programs

Current interpretations are that there are two, not one, main mineralised lodes at Callies. The recent gold resource evaluation drilling at Callies has also delivered highly anomalous poly-metallic base metal results. These previously announced results (see ASX announcement dated 23 April 2013) include lead, silver, bismuth, tungsten, molybdenum and tellurium. The high-grade tellurium values (up to 41.6g/t) in combination with silver and lead, is considered a significant vector, or pathfinder, to either large base metals-type mineralisation or poly-metallic-type.

Best result to date is:

- **CLRC014B** 4 metres @ 2.9g/t Au, 20g/t Ag, 14.7g/t Te from 162m.
(Includes 1m @ 9.47g/t Au, 72g/t Ag, 1.2% Pb and 41.6g/t Te from 164m)

Other significant base metal vector results, in association with gold and silver results, from the Callies resource programme include tungsten (W) molybdenum (Mo).

When considered in context with the copper-gold-silver-bismuth-tungsten results from Big Billy it demonstrates a regional scale process of base metal mineralising fluid movement along key controlling faults.

Further details relating to exploration activities at Callies are included in the ASX announcements dated 8 July 2013 and 24 July 2013.

Labouchere

At the Labouchere prospect, north-west of the Grosvenor gold processing plant, the completion of a small scout RC program was delayed due to drill deployment to the Grosvenor water bore program.

Toms, Sams and Cheyenne

At the Toms pit and the Sams and Cheyenne prospects at the Grosvenor Project, sterilisation RC drilling was undertaken. The position of the planned heap-leach pad, which is estimated to have a 500m x 700m footprint, will require further sterilisation work. Project economies dictate the heap pad should be the shortest haul or convey from the pit that is the centre of gravity for heap leach ore supply, which at this stage is most likely to be Callies.




Figure 4: Callies resource drill-out June 2013 Quarter

HEAP LEACHING STUDIES

Heap leach metallurgical test work on oxide and transitional mineralisation from Yarlalweelor, Callies, Horseshoe and Peak Hill open pits commenced during the Quarter with the selected samples considered representative of all potential deposits suitable for heap leach within the Grosvenor and Peak Hill tenements.

This test work comprises early stage bottle rolls followed by large scale column tests that emulate heap leach percolation and metal recovery kinetics and behaviour. Establishing metal recoveries is critical to the process of declaring reserves, mine scheduling and mine plan development.

Metallurgical studies are currently focused on leach kinetics and potential for dump and heap leach operations. Size optimisation bottle roll assays have indicated preliminary recoveries and the optimum size for column leach testing. The optimal size selected for column leach tests which have commenced on Yarlalweelor and Horseshoe ore is -25mm. Yarlalweelor and Horseshoe column leach tests were started in the last week of June 2013. The column is showing fast leach kinetics with no apparent channelling or ponding and excellent clarity.

Additional short term test work planned includes:

- Commencing bottle rolls and agglomeration and percolations tests for Peak Hill oxide and transitional samples at -25mm, 10kg/t and 13% moisture;
- Conducting a percolation test on the Yarlalweelor composite at 5kg/t and 13% moisture to assess if less cement is possible for agglomeration;
- Conducting bottle roll and percolation tests on -125mm samples at the selected cement and moisture addition rates with the intention of assessing the impact of no secondary crushing (reduce capital and operating costs);
- Variability tests on Horseshoe bottle rolls;
- Variability tests on Yarlalweelor bottle rolls using Callies or Eldorado ore;
- ICP results from the first column liquor to check for deleterious elements which may impact carbon adsorption or lead to high reagent consumption;
- Conducting 0kg/t percolation tests on the two Peak Hill dump samples to ascertain the potential for dump leach;
- Peak Hill column tests assuming that the results from the bottle rolls will demonstrate good recoveries as per Yarlalweelor ore.

Additional longer term test work planned includes:

- Percolation tests on a “hybrid” screened and agglomerated sample from Yarlalweelor. This will determine the size fraction to be screened and agglomerated to give good recovery in a heap leach while minimising operating costs (cement consumption);
- Large scale column leach tests (6 tonne capacity). Utilising the results from the small scale column tests, representative large scale tests replicating the likely operating conditions will be conducted;
- Separate column tests on 100% agglomerated, fines only agglomeration and -125mm samples are being considered. These will be further refined after the results of tests mentioned above are known;
- Site based pilot heap leach (minimum 10,000 tonne). Safety and environmental approvals have been initiated and costs estimated. Potential to use existing low grade stockpiles is being reviewed.

An Order of Magnitude capital and operating cost estimate has been undertaken by Independent Metallurgical Operations (IMO) and this will be reviewed once further detail on mineralisation behaviour is gained from the column leach tests. Capital considerations take in to account the equipment in the CIL plant that can be utilised for heap leach such as the crushing and elution circuits. Consideration is being given to the potential of a large scale pilot dump and heap leach to be conducted on site.

RNI will continue to advance these heap leaching studies during the current quarter. If successful, these studies could add production ounces and reduce overall average unit costs.

GROSVENOR GOLD PLANT

Approvals Process

In addition to its exploration programs, RNI made further progress with its approvals and Yarlarweelor pit dewatering programs for the Grosvenor gold operations. Progress during the Quarter included:

- A Mining Proposal is under appraisal with the Department of Mines and Petroleum (DMP) to recommence mining at the Yarlarweelor pit;
- The dewatering Works Approval amendment for discharge in to Yarlarweelor creek is currently with the Department of Environment and Conservation (DEC).

Other permits at hand and previously approved include:

- A Mining Proposal Amendment to recommence mining at the Toms approved by the DMP;
- The receipt of a Section 26D of the Rights in Water and Irrigation Act 1914 licence to build water wells was issued. This allows construction of Yarlarweelor pit dewatering and monitoring wells;
- A clearing permit relating to vegetation clearances around the new pits and associated infrastructure;
- The dewatering Works Approval has been received for the dewatering of Yarlarweelor and Toms pits from the DEC;
- A licence for a Prescribed Premises (allows process plant to be operated);
- The processing plant Project Management Plan (PMP);
- A pit dewatering PMP;
- A Dangerous Goods Licence for use of diesel and LPG;
- The 3.1GL Licence to Take Water issued by the Department of Water (DOW) has been issued;
- A tailing Storage Facility (TSF2) construction Works Approval (DEC).

Plant Refurbishment Process

The principal focus on plant works during the Quarter was:

- The installation of a new crusher motor control centre and associated electrical activities including the relocation of the existing crusher control cabinet. This will improve reliability of this control circuit and allow for the installation of a secondary crusher;
- A new Citech control programming is complete to commissioning stage for the entire CIL plant.

Pit wall stability monitoring instrumentation has been installed and prepared for Yarlalweelor pit dewatering activities. The instrumentation installed includes Vibrating Wire Piezometers (VWP) and Inclinometers. The instrumentation has been strategically placed to aid the selection of a suitable dewatering rate that maintains pit wall stability. As the pit lake is lowered, movement of the pit walls will be monitored.

Pit dewatering pontoons are complete and over half of the required pumps are installed. The dewatering generator has been purchased and delivered to site. Dewatering will commence after the curing period of the instrumentation grouting.

CORPORATE

On 17 May 2013, the Company announced it had extended to 29 November 2013 its option with Montezuma Mining Company Limited (MZN) to acquire 100% of Peak Hill Metals Pty Ltd, which owns the ~550,000oz Peak Hill gold project in Western Australia (Table 4). The consideration terms for the extension were included in the Company's 17 May 2013 ASX announcement.

On 29 May 2013, the Company announced it had finalised the acquisition of the Horseshoe Range gold project in Western Australia (and two licences within the neighbouring Fraser range gold project) from Naracoota Resources Limited through the issue of 3,805,554 ordinary fully-paid RNI shares.

Also on 29 May 2013, RNI announced it had executed a second deed of variation with Ascidian Prospecting Pty Ltd to extend to 30 June 2015 the option held by the Company to acquire a 100% interest in the Doolgunna exploration licence E52/2438. The consideration terms for the extension were included in the Company's 29 May 2013 ASX announcement.

On 6 June 2013, RNI announced that 29,220,633 listed \$0.60 options, exercisable on or before 31 May 2013, had expired without exercise.

For further information contact:

ALBERT THAMM
TECHNICAL DIRECTOR

Tel: +61-8 9489 9200

Competent Person's Statement

The information in this ASX release that relates to Exploration Results and Mineral Resources is based on information compiled by Mr Albert Thamm, who is a Fellow and Chartered Professional of the Australasian Institute of Mining and Metallurgy. Mr Thamm is Technical Director of Resource and Investment NL and has sufficient experience which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken to qualify as a Competent Person as defined in the 2004 Edition of the Australasian Code of Reporting of Mineral Resources and Ore Reserves. Mr Thamm consents to the inclusion in the release dated 31 July 2013 on the matters based on information in the form and context in which it appears.

Forward-Looking Statements

This ASX release has been prepared by Resource and Investment NL. This document contains background information about Resource and Investment NL and its related entities current at the date of this announcement. This is in summary form and does not purport to be all inclusive or complete. Recipients should conduct their own investigations and perform their own analysis in order to satisfy themselves as to the accuracy and completeness of the information, statements and opinions contained in this announcement. This announcement is for information purposes only. Neither this document nor the information contained in it constitutes an offer, invitation, solicitation or recommendation in relation to the purchase or sale of shares in any jurisdiction.

This announcement may not be distributed in any jurisdiction except in accordance with the legal requirements applicable in such jurisdiction. Recipients should inform themselves of the restrictions that apply in their own jurisdiction. A failure to do so may result in a violation of securities laws in such jurisdiction. This document does not constitute investment advice and has been prepared without taking into account the recipient's investment objectives, financial circumstances or particular needs and the opinions and recommendations in this representation are not intended to represent recommendations of particular investments to particular persons. Recipients should seek professional advice when deciding if an investment is appropriate. All securities transactions involve risks, which include (among others) the risk of adverse or unanticipated market, financial or political developments.

No responsibility for any errors or omissions from this document arising out of negligence or otherwise is accepted.

This document does include forward-looking statements. Forward-looking statements are only predictions and are subject to risks, uncertainties and assumptions which are outside the control of Resource and Investment NL. Actual values, results, outcomes or events may be materially different to those expressed or implied in this announcement. Given these uncertainties, recipients are cautioned not to place reliance on forward-looking statements.

Any forward-looking statements in this ASX release speak only at the date of issue of this announcement. Subject to any continuing obligations under applicable law and ASX Listing Rules, Resource and Investment NL does not undertake any obligation to update or revise any information or any of the forward-looking statements in this document or any changes in events, conditions or circumstances on which any such forward-looking statement is based.

Table 3: Summary of Grosvenor Project Gold Resources – As Declared November 2012

| Project | Cut-off (g/t) | Tonnes (kt) | Grade (Au g/t) | Tonnes (kt) | Grade (Au g/t) | Tonnes (kt) | Grade (Au g/t) | Tonnes (kt) | Grade (Au g/t) | Au Ounces |
|--------------------------|---------------|-------------|----------------|-------------|----------------|-------------|----------------|-------------|----------------|------------------|
| | | Measured | | Indicated | | Inferred | | Total | | |
| Yarlarweelor | 0.5 | | -- | 5,498 | 1.6 | 1,511 | 1.6 | 7,009 | 1.6 | 360,500 |
| Starlight | 1 | | -- | 1,558 | 3 | 924 | 3.4 | 2,482 | 3.2 | 252,500 |
| Starlight Hanging Wall | 1 | -- | -- | 145 | 4.3 | 503 | 2.9 | 648 | 3.2 | 67,500 |
| Twilight | 1 | -- | -- | 1,138 | 2.7 | 316 | 2.6 | 1,454 | 2.7 | 124,700 |
| Ricks | 1 | -- | -- | 232 | 1.9 | 63 | 2.1 | 295 | 2 | 18,800 |
| Midnight | 1 | -- | -- | 229 | 2.3 | 124 | 2.7 | 353 | 2.4 | 27,400 |
| Dougies | 1 | -- | -- | 99 | 3.1 | 123 | 2.9 | 222 | 3.0 | 21,500 |
| Eldorado | 0.6 | -- | -- | -- | -- | 386 | 1.4 | 386 | 1.4 | 17,300 |
| Toms & Sams | 0.5 | 42 | 1.64 | 1,031 | 1.53 | 272 | 1.66 | 1,345 | 1.56 | 67,400 |
| Horseshoe, Cassidy & Pod | 0.5 | | | 1,578 | 2.09 | 792 | 2.3 | 2,370 | 2.16 | 164,600 |
| Nathans | 0.75 | -- | -- | -- | -- | 1,081 | 1.9 | 1,081 | 1.9 | 66,900 |
| Callies North | 0.5 | 793 | 1.52 | 47 | 1.37 | 109 | 1.14 | 949 | 1.47 | 44,800 |
| Regent | 0.6 | -- | -- | -- | -- | 328 | 1.4 | 328 | 1.4 | 14,300 |
| TOTAL | | 835 | | 11,555 | | 6,532 | | 18,922 | 2.05 | 1,248,200 |

Table 4: MZN Option Mineral Resources at 0.8 g/t cut off as Declared June 2011

| Classification | Material | Tonnes (t) | Au (g/t) | Ounces |
|--|--------------|-------------------|-------------|-----------------|
| | Oxide | 1,270,000 | 1.24 | 50,000 |
| INDICATED | Transitional | 2,940,000 | 1.35 | 128,000 |
| | Fresh | 4,960,000 | 1.58 | 252,000 |
| TOTAL INDICATED | | | 1.46 | 430,000 |
| | Oxide | 160,000 | 1 | 5,000 |
| INFERRED | Transitional | 80,000 | 1.12 | 3,000 |
| | Fresh | 1,510,000 | 1.57 | 76,000 |
| TOTAL INFERRED | | | 1.5 | 84,000 |
| SUBTOTAL | | 10,920,000 | 1.47 | 514,000 |
| Jubilee Deposit | | | | |
| September 2009 Mineral Resources at 1.0 g/t cut-off | | | | |
| Classification | | Tonnes (t) | Au (g/t) | Ounces |
| INDICATED | | 100,000 | 1.95 | 6,300 |
| INFERRED | | 505,000 | 2.49 | 40,500 |
| SUBTOTAL | | 605,000 | 2.41 | 46,800 |
| Combined Global Mineral Resources Estimated for the Peak Hill Project | | | | |
| Classification | | Tonnes (t) | Au (g/t) | Ounces |
| INDICATED | | 9,270,000 | 1.46 | 436,000 |
| INFERRED | | 2,255,000 | 1.72 | 125,000 |
| TOTAL | | 11,525,000 | 1.51 | 561,000* |

*Rounding of metrics may result in computational discrepancies. Approx. 550Koz attributable to the Option Agreement.

Table 5: RNI Tenement Schedule as at 30 June 2013

| Doolgunna | | | | | | |
|-----------------------|------------------------------|---------------------|----------------|----------------|-------------|--------------|
| Tenement | Registered Holder | No of Shares | Granted | Expires | Area | Units |
| E52/2438 | Ascidian Prospecting Pty Ltd | 100/100 | 11/02/2010 | 10/02/2015 | 7.00 | bk |
| Fortnum West | | | | | | |
| E52/2568 | Resource and Investment NL | 100/100 | 16/06/2010 | 15/06/2015 | 80 | bk |
| Grosvenor Gold | | | | | | |
| E51/1053 | Grosvenor Gold Pty Ltd | 100/100 | 22/09/2005 | 21/09/2014 | 35.00 | bk |
| E51/1085 | Grosvenor Gold Pty Ltd | 100/100 | 22/09/2005 | 21/09/2014 | 17.00 | bk |
| E51/1120 | Grosvenor Gold Pty Ltd | 100/100 | 10/08/2006 | 9/08/2013 | 70.00 | bk |
| E51/1134 | Grosvenor Gold Pty Ltd | 100/100 | 15/11/2006 | 14/11/2013 | 4.00 | bk |
| E52/1817 | Grosvenor Gold Pty Ltd | 100/100 | 13/10/2008 | 12/10/2013 | 1.00 | bk |
| E52/1818 | Grosvenor Gold Pty Ltd | 100/100 | 14/04/2005 | 13/04/2014 | 2.00 | bk |
| E52/1832 | Grosvenor Gold Pty Ltd | 100/100 | 16/03/2009 | 15/03/2014 | 10.00 | bk |
| E52/1951 | Grosvenor Gold Pty Ltd | 100/100 | 26/02/2007 | 25/02/2017 | 17.00 | bk |
| E52/2059 | Grosvenor Gold Pty Ltd | 100/100 | 17/02/2010 | 16/02/2015 | 2.00 | bk |
| L52/102 | Grosvenor Gold Pty Ltd | 100/100 | 11/11/2008 | 10/11/2029 | 9.00 | ha |
| M52/5 | Grosvenor Gold Pty Ltd | 100/100 | 20/04/1983 | 19/04/2025 | 464.85 | ha |
| M52/6 | Grosvenor Gold Pty Ltd | 100/100 | 20/04/1983 | 19/04/2025 | 479.60 | ha |
| M52/93 | Grosvenor Gold Pty Ltd | 100/100 | 8/02/1988 | 7/02/2030 | 795.65 | ha |
| M52/95 | Grosvenor Gold Pty Ltd | 100/100 | 8/02/1988 | 7/02/2030 | 649.30 | ha |
| M52/96 | Grosvenor Gold Pty Ltd | 100/100 | 8/02/1988 | 7/02/2030 | 682.70 | ha |
| M52/98 | Grosvenor Gold Pty Ltd | 100/100 | 8/02/1988 | 7/02/2030 | 910.60 | ha |
| M52/99 | Grosvenor Gold Pty Ltd | 100/100 | 8/02/1988 | 7/02/2030 | 486.15 | ha |
| M52/125 | Grosvenor Gold Pty Ltd | 100/100 | 30/12/1988 | 29/12/2030 | 309.80 | ha |
| M52/132 | Grosvenor Gold Pty Ltd | 100/100 | 11/05/1989 | 10/05/2031 | 698.20 | ha |
| M52/133 | Grosvenor Gold Pty Ltd | 100/100 | 11/05/1989 | 10/05/2031 | 879.70 | ha |
| M52/338 | Grosvenor Gold Pty Ltd | 100/100 | 28/10/1992 | 27/10/2013 | 684.35 | ha |
| P52/1147 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 130.00 | ha |
| P52/1148 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 168.00 | ha |
| P52/1149 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 160.00 | ha |
| P52/1150 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 180.00 | ha |
| P52/1151 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 200.00 | ha |
| P52/1152 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1153 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1154 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1155 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 124.00 | ha |
| P52/1156 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 160.00 | ha |
| P52/1157 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1158 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1159 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 190.00 | ha |
| P52/1160 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 133.00 | ha |

| | | | | | | |
|---------------------------------|---|----------------------------|------------|------------|--------|----|
| P52/1163 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 193.00 | ha |
| P52/1164 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 171.00 | ha |
| P52/1165 | Grosvenor Gold Pty Ltd | 100/100 | 3/01/2007 | 2/01/2015 | 156.00 | ha |
| Jackson Regional JV | | | | | | |
| E52/1659 | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd | 80/100 20/100 | 27/01/2004 | 26/01/2014 | 13.00 | bk |
| E52/1671 | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd | 80/100 20/100 | 23/11/2004 | 22/11/2013 | 61.00 | bk |
| P52/1170 | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd | 80/100 20/100 | 3/01/2007 | 2/01/2015 | 193.00 | ha |
| P52/1171 | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd | 80/100 20/100 | 3/01/2007 | 2/01/2015 | 175.00 | ha |
| P52/1172 | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd | 80/100 20/100 | 3/01/2007 | 2/01/2015 | 178.00 | ha |
| Jackson Iron Ore JV | | | | | | |
| E51/1033-I | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd PepinNini Robinson Range Pty Ltd | 40/100 20/100 40/100 | 22/09/2005 | 21/09/2014 | 53.00 | bk |
| E52/1613-I | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd PepinNini Robinson Range Pty Ltd | 40/100 20/100 40/100 | 29/03/2006 | 28/03/2015 | 30.00 | bk |
| E52/1670-I | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd PepinNini Robinson Range Pty Ltd | 40/100 20/100 40/100 | 23/11/2004 | 22/11/2013 | 9.00 | bk |
| E52/1672-I | Grosvenor Gold Pty Ltd Jackson Minerals Pty Ltd PepinNini Robinson Range Pty Ltd | 40/100 20/100 40/100 | 22/09/2005 | 21/09/2014 | 35.00 | bk |
| Robinson Range JV | | | | | | |
| E52/1910-I | Grosvenor Gold Pty Ltd PepinNini Robinson Range Pty Ltd | 50/100 50/100 | 10/08/2006 | 9/08/2013 | 67.00 | bk |
| E52/1964-I | Grosvenor Gold Pty Ltd PepinNini Robinson Range Pty Ltd | 50/100 50/100 | 1/11/2007 | 31/10/2017 | 18.00 | bk |
| Horseshoe Lights East JV | | | | | | |
| M52/600 | BROSNAN, Allan Neville BROOMFIELD, David Paul Senako Marketing & Design Pty Ltd | 10/100 50/100 40/100 | 18/11/2008 | 17/11/2029 | 593.00 | ha |

| Peak Hill Regional Project (Montezuma Option) | | | | | | |
|--|---|------------------|------------|------------|--------|----|
| E52/2237 | Peak Hill Metals Pty Ltd | 100/100 | 24/02/2009 | 23/02/2014 | 4.00 | bk |
| E52/2413 | Peak Hill Metals Pty Ltd | 100/100 | 7/09/2009 | 6/09/2014 | 1.00 | bk |
| E52/2471 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 16/10/2009 | 15/10/2014 | 49.00 | bk |
| E52/2472 | Peak Hill Metals Pty Ltd | 100/100 | 19/11/2009 | 18/11/2014 | 2.00 | bk |
| L52/2 | Peak Hill Metals Pty Ltd | 10000/10000 | 27/04/1983 | 18/11/2028 | 3.68 | ha |
| L52/19 | Peak Hill Metals Pty Ltd | 10000/10000 | 25/08/1988 | 24/08/2013 | 16.18 | ha |
| L52/20 | Peak Hill Metals Pty Ltd | 10000/10000 | 26/02/1988 | 25/02/2018 | 56.00 | ha |
| L52/39 | Peak Hill Metals Pty Ltd | 10000/10000 | 24/05/1990 | 23/05/2015 | 36.50 | ha |
| L52/62 | Peak Hill Metals Pty Ltd | 10000/10000 | 10/06/1993 | 9/06/2018 | 14.00 | ha |
| L52/63 | Peak Hill Metals Pty Ltd | 10000/10000 | 10/06/1993 | 9/06/2018 | 24.00 | ha |
| M52/35 | Peak Hill Metals Pty Ltd | 10000/10000 | 16/01/1985 | 15/01/2027 | 917.15 | ha |
| M52/56 | Peak Hill Metals Pty Ltd | 10000/10000 | 19/11/1986 | 18/11/2028 | 114.05 | ha |
| M52/297 | Peak Hill Metals Pty Ltd | 10000/10000 | 4/02/1992 | 3/02/2034 | 961.55 | ha |
| M52/474 | Peak Hill Metals Pty Ltd | 10000/10000 | 8/03/1994 | 7/03/2015 | 18.63 | ha |
| M52/801 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 19/05/2003 | 18/05/2024 | 981.00 | ha |
| P52/1189 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 14/01/2009 | 13/01/2017 | 186.00 | ha |
| P52/1190 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 14/01/2009 | 13/01/2017 | 188.00 | ha |
| P52/1191 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 14/01/2009 | 13/01/2017 | 189.00 | ha |
| P52/1192 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 14/01/2009 | 13/01/2017 | 191.00 | ha |
| P52/1193 | Peak Hill Metals Pty Ltd Horseshoe Gold Mine Pty Ltd | 85/100 15/100 | 14/01/2009 | 13/01/2017 | 155.00 | ha |
| P52/1234 | Peak Hill Metals Pty Ltd | 100/100 | 14/01/2009 | 13/01/2017 | 49.75 | ha |
| P52/1343 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 20/01/2010 | 19/01/2014 | 137.25 | ha |
| P52/1344 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 20/01/2010 | 19/01/2014 | 189.00 | ha |
| P52/1345 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 20/01/2010 | 19/01/2014 | 162.00 | ha |
| P52/1348 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 20/01/2010 | 19/01/2014 | 195.00 | ha |
| P52/1417 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 30/12/2011 | 29/12/2015 | 22.15 | ha |
| P52/1418 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 30/12/2011 | 29/12/2015 | 22.15 | ha |
| P52/1419 | Peak Hill Metals Pty Ltd Montezuma Mining Company Ltd | 85/100 15/100 | 30/12/2011 | 29/12/2015 | 81.93 | ha |

| Horseshoe West Acquisition | | | | | | |
|---|-------------------------|---------|------------|------------|--------|----|
| E52/2595 | Naracoota Resources Ltd | 100/100 | 9/09/2010 | 8/09/2015 | 1.00 | bk |
| E52/2668 | Naracoota Resources Ltd | 100/100 | 20/04/2011 | 19/04/2016 | 1.00 | bk |
| M52/251 | Naracoota Resources Ltd | 100/100 | 11/03/1992 | 10/03/2034 | 274.55 | ha |
| P52/1239 | Naracoota Resources Ltd | 600/600 | 27/12/2007 | 26/12/2015 | 156.00 | ha |
| P52/1248 | Naracoota Resources Ltd | 600/600 | 12/06/2008 | 11/06/2016 | 105.00 | ha |
| P52/1257 | Naracoota Resources Ltd | 600/600 | 13/10/2008 | 12/10/2016 | 106.00 | ha |
| P52/1259 | Naracoota Resources Ltd | 600/600 | 19/01/2009 | 18/01/2017 | 126.00 | ha |
| P52/1337 | Naracoota Resources Ltd | 100/100 | 26/10/2009 | 25/10/2013 | 37.75 | ha |
| P52/1338 | Naracoota Resources Ltd | 100/100 | 26/10/2009 | 25/10/2013 | 1.73 | ha |
| P52/1339 | Naracoota Resources Ltd | 100/100 | 26/10/2009 | 25/10/2013 | 9.71 | ha |
| P52/1340 | Naracoota Resources Ltd | 100/100 | 26/10/2009 | 25/10/2013 | 50.00 | ha |
| P52/1341 | Naracoota Resources Ltd | 100/100 | 26/10/2009 | 25/10/2013 | 200.00 | ha |
| P52/1383 | Naracoota Resources Ltd | 100/100 | 2/09/2010 | 1/09/2014 | 1.17 | ha |
| P52/1397 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 49.90 | ha |
| P52/1398 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 49.11 | ha |
| P52/1399 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 25.69 | ha |
| P52/1400 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 103.36 | ha |
| P52/1401 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 124.04 | ha |
| P52/1402 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 70.75 | ha |
| P52/1403 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 22.28 | ha |
| P52/1404 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 51.4 | ha |
| P52/1405 | Naracoota Resources Ltd | 100/100 | 14/09/2011 | 13/09/2015 | 23.67 | ha |
| E52/1561-I | Auvex Horseshoe Pty Ltd | 100/100 | 6/01/2005 | 5/01/2014 | 3.00 | bk |
| Horseshoe West Mineral Rights Deed | | | | | | |
| M52/1048 | Auvex Horseshoe Pty Ltd | 100/100 | 22/02/2011 | 21/02/2032 | 797.00 | ha |